

DALMATIC.....PRODUCT CATALOGUE 2015


Open prices excluding tax and transportation costs

Unforeseen circumstances and errors accepted





SECTIONAL DOOR OPERATORS

		Article no.	Price/EUR
	Dalmatic door operator 90 NM 24 HE V.7E Gearmotor Voltage Control unit Enclosure Push buttons Plug in cable Manual operation Limits Mounting bracket Shaft size Stop ring Square key	Dall 90 NM 24 HE 3 x400V+N V.7E Dalmatic 190x293x100 mm Emergency stop and push buttons 7 meter 5 meter hand chain Electronic Dalmatic standard 25,4 mm 1 pcs 75x6,35x6,35 mm	60000064
	Dalmatic door operator 140 NM 17 HE V.7E Gearmotor Voltage Control unit Enclosure Push buttons Plug in cable Manual operation Limits Mounting bracket Shaft size Square key	Dall 140 NM 17 HE 3x400V+N V.7E Dalmatic 190x293x100 mm Emergency stop and push buttons 7 meter 5 meter hand chain Electronic Dalmatic standard 31,75 mm 75x6,35x6,35 mm	60000082
	Dalmatic door operator TAE 90 NM 24 DE V.7E Gearmotor Voltage Control unit Enclosure Push buttons Plug in cable Manual operation Limits Mounting bracket Shaft size Square key	TAE 90 NM 24 DE 3x400V+N V.7E Dalmatic 190x293x100 mm Emergency stop and push buttons 7 meter Declutch Electronic TAE bracket 25,4 mm 75x6,35x6,35 mm	60000048
	Dalmatic automatic Ovitov STA1 100NM V.7E (porte maks 400kg) Gearmotor Voltage Control unit Enclosure Push buttons Plug in cable Manual operation Limits Mounting bracket Shaft size Square key	Ovitov STA1-10-24E 3x400V+N V.7E Dalmatic 190x293x100 mm Emergency stop and push buttons 7 meter Declutch Electronic bracket 25,4 mm 75x6,35x6,35 mm	60000051

		Article no.	Price/EUR
	Dalmatic door operator STA 90 NM 24 DM V.7E		
	Gearmotor	STA 90 NM 24 DM	60000039
	Voltage	3x400V+N	
	Control unit	V.7E	
	Enclosure	Dalmatic 190x293x100 mm	
	Push buttons	Emergency stop and push buttons	
	Plug in cable	7 meter	
	Manual operation	Declutch	
	Limits	Mechanical	
	Mounting bracket	TAE bracket	
Shaft size	25,4 mm		
Square key	75x6,35x6,35 mm		

SAFETY EDGE KIT

		Article no.	Price/EUR
	Optical safety edge kit		
	Photo receiver	RSS10 CF12 C1	60000400
	Photo transmitter	TSS10 CF12 C6,5 uP	
	Junction box	40x136x56 mm Cable glands	
	Spirale cable	Bending cable gland 5 conductors 1 meter	
	Pneumatic safety edge kit		
	Airswitch	NC / NO	60000401
	Junction box	40x136x56 mm Cable glands	
		Spirale cable	Bending cable gland 5 conductors 1 meter

SECTIONAL DOOR DRIVES

		Article no.	Price/EUR	
	Dall door operator DA90 24 HE Torque 90 NM RPM 24 Hollow shaft 25,4 mm Voltage 230/400 V Motor output 0,37 kw/50Hz Work cycle 60% Limits Encoder, MTM multi turn Man. Operation 5 meter hand chain	60000911		
	Dall door operator DA 140 17 HE (shaft Ø 31,75 mm) Torque 140 RPM 17 Hollow shaft 31,75 mm Voltage 230/400 V Motor output 0,37 kw/50Hz Work cycle 60% Limits Encoder, MTM multi turn Man. Operation 5 meter hand chain adaptor 31,75 - 1"	60000945		
	Dall door operator DA 140 17 HE (shaft Ø 25,4 mm) Torque 140 NM RPM 17 Hollow shaft 25,4 mm Voltage 230/400 V Motor output 0,37 kw/50Hz Work cycle 60% Limits Encoder, MTM multi turn Man. Operation 5 meter hand chain	60000946		
	Dalmatic TAE 90 24 DE Torque 90 RPM 24 Hollow shaft 25,4 Voltage 230/400 V Motor output 0,37 kw/50Hz Work cycle 60% Limits Encoder, Kostal Man. Operation Declutch	60000950		
	Dalmatic STA kostal Torque 90 RPM 24 Hollow shaft 25,4 Voltage 230/400 V Motor output 0,37 kw/50Hz Work cycle 60% Limits Encoder, Kostal Man. Operation Declutch	60000956		
	Dalmatic STA 90 NM 24 DM Torque 90 RPM 24 Hollow shaft 25,4 Voltage 230/400 V Motor output 0,37 kw/50Hz Work cycle 60% Limits Mechanical Man. Operation Declutch	90000880		

FIRE DOOR OPERATORS

		Article no.	Price/EUR			
	Dalmatic door operator 030 15 NM WIRE FIRE DOOR CONTROL 2000 V.1	90000079				
	Gearmotor					DA 0.25 030 15Nm
	Control unit					JE110 PV7 FIRE DOOR 2000 V.1
	Current module					JE30-M
	Enclosure					ABS2828-80
	Push buttons					Emergency stop and push buttons
	Motor protection					1-1,6A
	Limits					Mechanical 2 pcs
	Magnetic clutch					15 NM
	Safety list					Electric safety list 2,5 meter Incl spirale cable
	Additional safety					Dalmatic photo cell set
	Shaft					Wire wheel
	Push button box					Open - emerency stop - close
Power connection	CEE plug 400V 4P+G					
	Dalmatic door operator 040 30 NM WIRE FIRE DOOR CONTROL 2000 V.1	90000080				
	Gearmotor					DA 0.37 040 30Nm
	Control unit					JE110 PV7 FIRE DOOR 2000 V.1
	Current module					JE30-M
	Enclosure					ABS2828-80
	Push buttons					Emergency stop and push buttons
	Motor protection					1-1,6A
	Limits					Mechanical 2 pcs
	Magnetic clutch					30 NM
	Safety list					Electric safety list 2,5 meter Incl spirale cable
	Additional safety					Dalmatic photo cell set
	Shaft					Wire wheel
	Push button box					Open - emerency stop - close
Power connection	CEE plug 400V 4P+G					
	Dalmatic door operator 050 60 NM WIRE FIRE DOOR CONTROL 2000 V.1	90000081				
	Gearmotor					DA 0.55 050 60Nm
	Control unit					JE110 PV7 FIRE DOOR 2000 V.1
	Current module					JE30-M
	Enclosure					ABS2828-80
	Push buttons					Emergency stop and push buttons
	Motor protection					1-1,6A
	Limits					Mechanical 2 pcs
	Magnetic clutch					60 NM
	Safety list					Electric safety list 2,5 meter incl spirale cable
	Additional safety					Dalmatic photo cell set
	Shaft					Wire wheel
	Push button box					Open - emerency stop - close
Power connection	CEE plug 400V 4P+G					

		Article no.	Price/EUR	
Dalmatic door operator 040 30 NM FIRE DOOR CONTROL with INVERTER  		90000082		
Gearmotor	DA 0.37 040 30Nm			
Control unit	JE110 PV7 FIRE DOOR 2000 V.1			
Inverter	Hanning CCI 1,5kW			
Current module	JE30-M			
Enclosure	ABS3828-80			
Push buttons	Emergency stop and push buttons			
Limits	Mechanical 4 pcs			
Magnetic clutch	30 NM			
Safety list	Electric safety list 2,5 meter incl SEC module incl spirale cable			
Additional safety	Dalmatic photo cell set			
Shaft	Wire wheel			
Push button box	Open - stop - close			
Power connection	CEE plug 400V 4P+E			
Dalmatic door operator 050 60 NM FIRE DOOR CONTROL with INVERTER  		90000083		
Gearmotor	DA 0.37 050 30W			
Control unit	JE110 PV7 FIRE DOOR 2000 V.1			
Inverter	Hanning CCI 1,5kW			
Current module	JE30-M			
Enclosure	ABS3828-80			
Push buttons	Emergency stop and push buttons			
Limits	Mechanical 4 pcs			
Magnetic clutch	60 NM			
Safety list	Electric safety list 2,5 meter incl SEC module incl spirale cable			
Additional safety	Dalmatic photo cell set			
Shaft	Wire wheel			
Push button box	Open - stop - close			
Power connection	CEE plug 400V 4P+E			
Dalmatic door operator FTA 1-10-24 V.7 back up battery  		90000095		
Gearmotor	FTA 1-10-24 400V/24Vdc back up			
Control unit	V7E 3x400V back up battery package Battery monitoring			
Enclosure	SPB 4530-10			
Push button box	Open - emergency stop - close			
Motor cable	2 meter fire proof			
Limits	Mechanical			
Safety list	Pneumatic safety edge kit incl spirale cable			
Additional safety	Dalmatic photo cell set			
Shaft	25,4 mm			
Power connection	CEE plug 400V 4P+G			



		Article no.	Price/EUR	
	<p>Dalmatic DA 0.25 030 15Nm</p> <p>Torque 20 NM Speed 0,24 m/sec Magnet 15 NM Voltage 230/400 V Motor output 0,25 kw Work cycle 60% Wire wheel 80 mm</p>	90000997		
	<p>Dalmatic DA 0.37 040 30Nm</p> <p>Torque 30NM Speed 0,26 m/sec Magnet 30 NM Voltage 230/400 V Motor output 0,37 kw Work cycle 60% Wire wheel 140 mm</p>	90000980		
	<p>Dalmatic DA 0,37 050 60W</p> <p>Torque 65NM Speed 0,25 m/sec Magnet 60 NM Voltage 230/400 V Motor output 0,37 kw Work cycle 60% Wire wheel 140 mm</p>	90000982		
	<p>FTA 1 - 10 - 24 back up</p> <p>Torque 90 NM RPM 24 Hollow shaft 25,4 mm Voltage 230/400 V / 24 Vdc Motor output 0,55 kw/50Hz Work cycle 60% Limits Mechanical Man. Operation Hand crank</p>	90000949		



EDDY CURRENT BRAKES

		Article no.			Price/EUR
	JE5-26 Braking power	20 kg	90000993		
	JE5-26 JK Braking power Eddy current brake	30 kg	90000973		
	JE 3-8 Braking power	40 kg	90000990		
	JEW 3-8 Braking power	60 kg	90000991		

CONTROL UNITS



V.7E			Article no.			Price/EUR
	Power supply Limits Safety Lists Display Force control CEE plug Push buttons Enclosure	3x400V+N Mechanical/Electronic Electric/Pne/optical 4 digits LED Manuel/electronic 400V/4P+PE Folie/emergency stop Dalmatic enclosure	60000513			
	Power supply Limits Safety Lists Display Force control	3x400V Mechanical/Electronic Electric/Pne/optical 4 digits LED Manuel/electronic	60000231			
	Special hardware for inverter Power supply Limits Safety Lists Display Power connection Push buttons Enclosure	1x230V Mechanical/Electronic Electric/Pne/optical 4 digits LED 400V/4P+PE Folie/emergency stop Dalmatic enclosure	60000532			
	V7E Door control for inverter Power supply Limits Safety Lists Display Force control	3x400V Mechanical/Electronic Electric/Pne/optical 4 digits LED Manuel/electronic	60000234			
	V7E with inverter Power supply Limits Safety Lists Display Power connection Push buttons Enclosure Inverter	1x230V Mechanical/Electronic Electric/Pne/optical 4 digits LED 230V 2P+PE Open-stop-close and emergency stop SPB 2536-10 1,5 kw	60000560			



V.3E		Article no.		Price/EUR	
	Power supply Limits Max. Motor size Safety lists Operation Force control Push buttons Enclosure	3x400V Electronic 3kw Electric/Pne/optical Hold to run / impulse Electronic Folie/emergency stop Dalmatic enclosure	60000540		
	Power supply for Dall encoder for Kostall encoder Limits Max. Motor size Safety lists Operation Force control	400V 3x400V 3x400V Mechanical/Electronic 3kw Electric/Pne/optical Hold to run / impulse Electronic	60000260 60000262		

LCC V.2		Article no.		Price/EUR	
	Power supply Limits Max. Motor size Safety lists Operation Push buttons Enclosure	400V Mechanical 3kw Electric/Pne Hold to run / impulse Folie/emergency stop Dalmatic enclosure	90000548		
	Power supply Limits Max. Motor size Safety lists Operation	3x400V Mechanical 3kw Electric/Pne Hold to run / impulse	90000255		



CONTROLLERS FOR REPLACEMENT

B.2			Article no.			
	Power supply Limits Safety edge list 11 pole socket Force control Power connection Push buttons Enclosure	3x400V Mechanical Electric/Pne yes Electronic 400V/4P+PE Folie/emergency stop 175x250x100 mm	90000575			
	Power supply Limits Safety edge list 11 pole socket Force control Power connection	3x400V Mechanical Electric/Pne Yes Electronic 400V/4P+PE	90000238			
	Control card V.1	Adaptiv software Standard software	90000130 90000131			
B3			Article no.			
	Power supply Limits Safety edge list Force control Power connection Push buttons Enclosure	3x400V Mechanical Electric/Pne Electronic 400V/4P+PE Folie/emergency stop 175x250x100 mm	90000578			
	Power supply Limits Safety edge control Force control Power connection	3x400V Mechanical Electric/Pne Electronic 400V/4P+PE	90000248			
	Control card V.1	adaptiv software standard software	90000130 90000131			
MAXI V.10			Article no.			
	Power supply Limits Safety edge control 11 pole socket Power connection Push buttons enclosure	3x400V Mechanical Electric/Pne Yes Electronic 400V/4P+PE Folie/emergency stop 175x250x100 mm	90000519			
	Power supply Limits Safety edge control 11 pole socket Power connection	3x400V Mechanical Electric/Pne Yes 400V/4P+PE	90000222			
	Control card JE110PV7		90000107			




FIRE DOOR CONTROL UNITS		Article no.	Price/EUR		
	Power supply 400V Limits Mechanical Current module JE30-M Enclosure ABS2828-80 Power connection CEE plug 400 V 4P + G	90000540			
	With push buttons Open - stop - close, emergency stop	90000543			
	Power supply 3x400V+N Limits Mechanical Current module JE30-M Enclosure ABS2828-80 Power connection CEE plug 400 V 4P + G Push buttons Open-stop-close, emergency stop Inverter 1,5 kw	90000545			
	V7E Door control 24 Vdc back up battery package Power supply 3x400V Back up battery 2x12V Limits Mechanical Enclosure SPB 4530-10 Safety edge list Pneu/electrical/optical Power connection CEE plug 400V/ 4P + PE Push buttons Optional	90000595			

DOCK CONTROLLERS		Article no.			Price/EUR
	Dock controller DC3 Telescopic or swing Power supply 3x400V Output to motor 3x400V Magnetic valves max 3 (24 Vdc) Ramp Telescopic / swing Operation Hold to run / impulse Programming Preset DIL switches Push buttons Optional Enclosure Dalmatic enclosure	60000500			
		Dock controller DC1 swing Power supply 3x400V Output to motor 24 Vdc Magnetic valves max 1 (24 Vdc) Ramp Swing Operation Hold to run Enclosure Dalmatic enclosure	60000505		





MAGNETIC ENCODER

MAGNETIC MULTI TURN/SINGLE TURN 100 V.2 ME		Article no.	Price/EUR
	Max speed motor shaft 6000/500 RPM Max turn 52400 / - Resolution 0,5 angle degrees Pulse output 4 pul/rev open collector Communication RS485 Power supply 10-15 Vdc Battery life time 10 Years (dep. on usage) Enclosure ABS	60000901	
	Kostal encoder single turn	60000899	

		Article no.	Price/EUR	
	Self contain photocell set Transmitter TS10 1FP12 C15 Receiver RS 10 0 FP12 C15) Power supply 10-30 Vdc Power consumption 31 mA/ 10 Vdc Range 15 meter Testinput Yes Optical angle +/- 10 degrees Cable length 15 meter Cable 3*0,14 mm ² IP protection IP 67	70000803		
OPTICAL SAFETY EDGE - TRANSMITTER AND RECEIVER		Article no.	Price/EUR	
	Optical photocell set Transmitter TSS10L CF12 C6,5L Receiver RSS10L CF12 1L V.2) Power supply 3-15 Vdc Power consumption 6 mA/ 10 Vdc Range 12 meter Testinput Yes Optical angle +/- 5 and +/- 40 degrees Cable length 6,5 / 1 meter Cable 3*0,14 mm ² IP protection IP 67	70000793		
PHOTOCELL KIT - EXTERNAL AMPLIFIER		Article no.	Price/EUR	
	Plug-in PCB incl. TA/RA photocells Power supply 15-28 Vdc Power consumption 120 mA/ 24 Vdc Range 15 meter Optical angle +/- 10 degrees Cable length 15 meter Reaction time on/off 25 ms/25 ms IP protection phptpcc Output PNP NC	90000431		
	PCB with terminal connection incl. TA/RA photocells Power supply 15-28 Vdc Power consumption 120 mA/ 24 Vdc Range 15 meter Optical angle +/- 10 degrees Cable length 15 meter Reaction time on/off 25 ms/25 ms IP protection IP 67 Output Solid state relay (NC)	90000391		
PHOTOCELL KIT - WITH REFLECTOR		Varenr.	Varegr.	
	HR-31 Power supply 24-240 VAC/12-240VDC Reflector Ø 84mm Range 9 meter Cable 2M Reaction time on/off 25 ms/25 ms Output Relay NO/NC	90000444	10	
PHOTOCELLS - FOR EXTERNAL AMPLIFIER		Article no.	Price/EUR	
	Receiver (RA10 CP10 C15) Range 15 meter Optical angle +/- 10 degrees Cable length 15 meter Cable 2*0,25 mm ² IP protection IP 67	90000393		
	Transmitter (TA10 CP10 C15) Range 15 meter Optical angle +/- 10 degrees Cable length 15 meter Cable 2*0,25 mm ² IP protection IP 67	90000394		

AMPLIFIERS		Article no.	Price/EUR	
	Photo module V.2.0 (Plug in) Power supply 15-28 Vdc Power consumption 117 mA Range adjustment Low 0-4m / high 0-15 m Reaction time on/off 25 ms/25 ms Output PNP NC	90000436		
	Photo module V.2.1 (Terminal) Power supply 15-28 Vdc Power consumption 117 mA Range adjustment Low 0-4m / high 0-15 m Reaction time on/off 25 ms/25 ms Output Solid state relay NC	90000430		
	CAD DIN 2 channel (DIN rail) Power supply 15-28 Vdc Power consumption 117 mA Range adjustment Yes Reaction time on/off 25 ms/25 ms Output Solid state IP protection IP 40	70000065		


ELECTRIC SAFETY LISTS


		Article no.	Price/EUR	
	Safety edge list type B Type	Air rubber profile	90000461	
	Assembling safety edge list type B		90000460	
	Low safety edge list Type	Electrical safety edge list	90000471	
	Assembling low safety edge list Including resistor		90000470	
	High safety edge list Type	Electrical safety edge list	90000473	
	Assembling high safety edge list Including resistor		90000472	
	Alu profile for safety lists		90000476	



		Article no.	Price/EUR
	Loop detector JD 25-1 24 Power supply 24 AC/DC Power consumption 1,6 VA Response time 100 ms Tuning range 2 sec. Operation temperature -20 - +70 degrees Loop inductance 20-2000 µH Loop freq. Range 13-170 KHz	90000310	
	Loop detector JD 25-1 230 Power supply 230 VAC	90000318	
	Loop detector JD 25-1 24 box Power supply 24 AC/DC	90000311	
	Loop detector JD 25-1 230 box Power supply 230 VAC	90000313	
	Loop detector VEK1 Power supply 24 Vdc Channels 1 Output 2 Range	90000322	
	Current module JE30 Power supply 24 Vdc Fire signal NO/NC	90000330	
	Current module JE30M Molex Power supply 24 Vdc Fire signal NO/NC	90000337	
	SEC V.1 molex Power supply 24 Vdc Power consumption 2w 8,2 Kohm resistor Resistor tol. 10% max 1,2 Kohm resistor Resistor tol. 10% max Optical sensors Freq. Int. 400-1000 Hz Safety output Dual fast relay Mech. Lifetime 100 million operations Elec. Lifetime 500.000 operations Operation temperature -20-+70 degrees Output fuse 0,315 A-T (slow acting) Max. Switching voltage 220 Vdc/250 Vac	90000339	
	SEC V.1 terminals 24 AC/DC	90000340	
	SEC V.1 box	90000342	

		Article no.	Price/EUR
	Pneumatic air switch Output NC (NO) Max load 0,5 A Pressure 0,2-50 mbar	90000451	
	Pneumatic air switch Bircher red	90000453	
	Pneumatic air switch in housing including rubber tube	90000450	
	Pneumatic air switch in housing Bircher	90000454	
Herkules radar V.2 Power supply 12-28 VAC / 12-36 Vdc		90000661	
	Herkules radar V.2 Power supply Power consumption Max 75 mA Mounting 2-7 meter Protection category IP 65	90000661	
	Traffic light Power supply 24 Vdc Power consumption 1,5 watt Colour Red LED	60000602	
	Green LED	60000601	
	Yellow LED	60000600	
	Dalmatic traffic light LAMP PCB V.1 Power supply 24 Vdc	90000235	
	Dalmatic standard enclosure 192910 Material ABS Colour RAL 7035 Holes Knock out Hinges Yes Prepared for Emergency stop and push buttons	60000300	
	Bat guard battery monitor Power supply 230VAC	60000640	
	Battery for back up controls 12V battery 9,0 Ah	90000612	
	7,2 Ah	90000625	
	3,2 Ah	90000626	







		Article no.		Price/EUR
	Pull switch FD576		90000700	
	Wireless pull switch External receiver	RCM434A01	60000750	
	Plug in receiver	RSM434A03	60000751	
	Universal socket ZPD11 DIN rail		90000317	
	Switch 1/2 - 1/1 open		90000745	
	Switch box 1/2 - 1/1 open		90000746	

		Article no.		Price/EUR
	Locking switch type FR555	90000770		
	Locking switch type FR531	90000773		
	Spirale cable type 4x50CS-YMH11Y-0 Conductors 5 different colours	90000793		
	Junction box Cable glands 2xM16 + M16 spirale Dimension 40x136x56 mm Enclosure ABS Protection class IP 65	90000795		
	Stop ring 1"	90000860		
	Plug in cables for Dalmatic operator including terminals and cable glands	5 meter 60000805		
	7 Meter	7 meter 60000807		
	12 Meter	12 meter 60000812		
	Plug in cable for Ovitro STA	11 meter 60000816		
	Plug in cable for TAE Gearmotor	11 meter 60000818		





		Article no.	Price/EUR	
	Rope with two handles Length 1 meter Handles 1 red / 1 green	90000853		
	Mounting bracket for Dalmatic door drive 90 Nm 24 HE	90000956		
	Hand chain DIN 766 length 1 meter	90000864		
	Chain link DIN 766	90000847		
	Mounting bracket VB for gearmotor	90000896		
	Mounting bracket TB for gearmotor	90000942		

		Article no.		Price/EUR	
	Electric magnet 30 NM Power supply NM	24 Vdc 30 Nm	90000820		
	Electric magnet 60 NM Power supply NM	24 Vdc 60 Nm	90000823		

PUSH BUTTON BOXES

		Article no.	Price/EUR	
	Push button box XALD 324 Push buttons IP protection	Open-stop-close IP 44 90000802		
	Push button box Push buttons IP Protection	open-stop-close Neoprene IP 65 90000804		
	Push button box XALD328 Push buttons IP protection	Open-emergency stop-close IP 44 90000808		
	Folie membrane Push buttons LED Strip length	Open-stop-close 1 480 mm 90000805		
	Emergency stop box SC1-120	90000829		
	Emergency stop	90000673		





TELECO RADIO ACCESSORIES

TRASMITTERS		Article no.	Price/EUR
	Transmitter TXR433A01 Channels	1 90000260	
	Transmitter TXR433A02 Channels	2 90000261	
	Transmitter TXR433A04 Channels	4 90000262	
	Transmitter TXR433 A12 Channels	12 90000263	
	Clips CLPC For transmitters TXR	90000265	
MINI TRASMITTERS		Article no.	Price/EUR
	Transmitter TXP433A01 Channels	1 90000286	
	Transmitter TXP433A02 Channels	2 90000287	
	Transmitter TXP433A04 Channels	4 90000288	


RECEIVERS		Article no.	Price/EUR
	Receiver RCM434A01 Power supply 12-14 Vdc Channels 1 Connection Terminal Transmitters Max 85	90000266	
	Receiver RCM434A02 Power supply 12-24 Vdc Channels 2 Connection Terminal Transmitters Max 85	90000267	
	Receiver RSM434A03 Power supply 12-14 Vdc Channels 1 Connection Plug in Dalmatic Transmitters Max 85	90000274	
	Receiver RCE433A01 Power supply 12-14 Vdc Channels 1 Connection Terminal Transmitters Max 85	90000268	
	Receiver RCV433A01 Power supply 230 Vac Channels 2 Connection Terminal Transmitters Max 85	90000269	
	Receiver RZB433A01 Power supply 12-14 Vdc Channels 1 Connection 11 pol socket Transmitters Max 85	90000282	
	Receiver RZV433A01 Power supply 230 Vac Channels 2 Connection 11 pol socket Transmitters Max 85	90000283	

ACCESSORIES		Article no.		Price/EUR
 <p>Digital keypad TXK433B04 Power supply Channels Connection</p>	<p>Battery 2 + bell Wireless</p>	90000284		
 <p>Memory module MEM 85 Transmitters</p>	Max 85	90000275		
 <p>Memory module MEM 340 Transmitters</p>	Max 340	90000276		
 <p>Memory module MCMEM</p>		90000278		
 <p>Impulse module MC001</p>		90000277		
 <p>Timer module MCTIM</p>		90000279		
 <p>Programming device PRM 433</p>		90000280		
 <p>tenna 433 MHZ ANT433</p>		90000281		

RESIDENTIAL PRODUCTS

		Article no.	Price/EUR	
	GTA 611 garage door operator Power supply 1x230 V Force 500 NM Transmitter MHS 43-2 2 channel Door size Max 2250 mm high Drive Belt	80000005		
	GTA 612 garage door operator Power supply 1x230 V Force 700 NM Transmitter MHS 43-2 2 channel Door size Max 2250 mm high Drive Belt	80000007		
	Extension 1 meter alu profile incl. Belt Door size max 2750 mm high	80000036		
	MAX transmitter MHZ 433,92 Code Keeloq			
	MAX 43-2 2 channel	80000023		
	MAX 43-4 4 channel	80000022		
	Digicode professional Channels 2 channel + bell MHZ 433,92 Code Keeloq	80000012		
	Universal receiver E-43 Channels 1 MHZ 433,92 Code Keeloq	80000025		

		Varenr.	Varegr.		
	Nice SPIN 23 garage door operator Power supply 1x230 V Force 650 N Transmitter FLO2RE 2 channel Drive Belt	80000047	13		
	Extension 1 meter alu profile incl. Belt	80000046	13		
	Flo2re 2-k. transmitter - Nice	80000108	13		
	Flo4re 4-ktransmitter - Nice	80000109	13		
	inti (all colors) 2 channel 433,92 Mhz	80000110	13		
	Smx2r receiver Universal pre- wired	80000334	13		

		Varenr.	Varegr.		
	Nice SOON automatik med 2 pcs. 2-channel Transmitter and OXI-receiver	80000070	13		
	Kodetastatur Nice.	80000711			
	TOONA4024KCE For swing gates with leaves up to 3 m. 24 V DC. Surface mounted Incl. 2 pcs. gearmotor 1 pcs. transmitter	80000372			
	MOFB Photocells with BlueBUS technology Surface mounted	80000314			